

eProcurement System Government of India

Tender Details

Date: 31-Jan-2025 07:00 PM



Basic Details			
Organisation Chain	Indian Institute of Technolog	gy(ISM) Dhanbad Administration - ISMD	Purchase and Stores - ISMD
Tender Reference Number	CR-INS-CPPP-127-24-25		
Tender ID	2025_ISMD_846949_1	Withdrawal Allowed	Yes
Tender Type	Global Tenders	Form of contract	Supply
Tender Category	Goods	No. of Covers	2
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No
Payment Mode	Offline	Is Multi Currency Allowed For BOQ	Yes
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No

<u>Paym</u>	ent	<u>Instruments</u>
Offline	S.No	Instrument Type
	1	Bank Guarantee
	2	Demand Draft
	3	FDR
		<u> </u>

<u>Cover Details, No. Of Covers - 2</u>				
Cover No	Cover	Document Type	Description	
1	Fee/PreQual/Technical	.pdf	Technical Bid	
2	Finance	.xls	Financial bid	

Tender Fee Det	ails, [Tot	al Fee in ₹ * - 0.	00]	EMD Fee Detail	<u>ls</u>		
Tender Fee in ₹	0.00			EMD Amount in ₹	18,00,000	EMD Exemption	Yes
Fee Payable To	Nil	Fee Payable At	Nil			Allowed	
Tender Fee	No			EMD Fee Type	fixed	EMD Percentage	NA
Exemption Allowed				EMD Payable To	Registrar,IIT (ISM)	EMD Payable At	Dhanbad

Click to view modification history

<u>Fore</u>	ign Currency BOQ Details	
S.No	Currency	Conversion rate in ₹
1	US Dollar	NA
2	European Euro	NA
3	Japanese yen	NA

Supply and Installation of	f NMR Spectrometer with	Electronics and	Console	
Supply and Installation of	f NMR Spectrometer with	Electronics and	Console	
As per tender document				
1. Name-Shri Anant Kumar, Email Id-iem1@iitism.ac.in 2. Name-Shri Hari Shanker Gupta, Email Id-iem2@iitism.ac.in				
No				
6,00,00,000	Product Category	Laboratory and scientific equipment	Sub category	NA
	Supply and Installation o As per tender document 1. Name-Shri Anant Kum iem2@iitism.ac.in No	Supply and Installation of NMR Spectrometer with As per tender document 1. Name-Shri Anant Kumar, Email Id-iem1@iitism.aiem2@iitism.ac.in	Supply and Installation of NMR Spectrometer with Electronics and As per tender document 1. Name-Shri Anant Kumar, Email Id-iem1@iitism.ac.in 2. Name-Siem2@iitism.ac.in No 6,00,00,000 Product Category Laboratory and scientific	1. Name-Shri Anant Kumar, Email Id-iem1@iitism.ac.in 2. Name-Shri Hari Shanker Gupta, iem2@iitism.ac.in No 6,00,00,000 Product Category Laboratory and scientific

Contract Type	Tender	Bid Validity(Days)	180	Period Of Work(Days)	168
Location	IIT(ISM) Dhanbad	Pincode	826004	Pre Bid Meeting Place	IIT(ISM) Dhanbad
Pre Bid Meeting Address	Conference Hall, Administrative Building, IIT(ISM) Dhanbad	Pre Bid Meeting Date	10-Feb-2025 11:00 AM		Purchase and Stores Section
Should Allow NDA Tender	No	Allow Preferential Bidder	No		

<u>Critical Dates</u>			
Publish Date	31-Jan-2025 06:50 PM	Bid Opening Date	17-Mar-2025 11:00 AM
Document Download / Sale Start Date	31-Jan-2025 06:55 PM	Document Download / Sale End Date	14-Mar-2025 06:00 PM
Clarification Start Date	31-Jan-2025 06:55 PM	Clarification End Date	10-Feb-2025 10:00 AM
Bid Submission Start Date	11-Feb-2025 06:00 PM	Bid Submission End Date	14-Mar-2025 06:00 PM

NIT Document	S.No	S.No Document Name		Description		Document Size (in KB)
	1	Tendernotice_1.pdf		Tender Notice		355.8
	S.No	Document Type	Documen	t Name	Description	Document Size (in KB)
Work Item Documents	ļ	Document Type Tender Documents	Documen tndrdc.pdf	t Name	Description Technical Bid	

Auto	o Exte	ension Corrigendum Properties for Tender	
Itera	tion	No. of bids required for bid opening a tender	Tender gets extended to No. of days
1.		3	14

Bid Ope	eners List		
S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name
1.	satyendrakr@iitism.ac.in	satyendra kumar	SATYENDRA KUMAR
2.	deepakkumar@iitism.ac.in	Deepak Kumar	Deepak Kumar
3.	rohit@iitism.ac.in	Rohit Kumar Singh	ROHIT KUMAR SINGH
4.	mukesh@iitism.ac.in	Mukesh Tiwari	Mukesh Tiwari

GeMARPTS ID 2PR3WR2NDSU0 Description NMR Spectrometer with Electronics and Console	SeMARPTS Details	
Description NMR Spectrometer with Electronics and Console	eMARPTS ID	2PR3WR2NDSU0
	escription	NMR Spectrometer with Electronics and Console
Report Initiated On 29-Jan-2025	eport Initiated On	29-Jan-2025
Valid Until28-Feb-2025	alid Until	28-Feb-2025

Tender Properties			
Auto Tendering Process allowed	No	Show Technical bid status	Yes
Show Finance bid status	Yes	Stage to disclose Bid Details in Public Domain	Technical Bid Opening
BoQ Comparative Chart model	Normal	BoQ Compartive chart decimal places	2
	L	Form Based BoQ	No

	Comparative t Rank Type		
TIA	Undertaking		
S.No	Undertaking to Ord	er Tender complying with Order	er Reason for non compliance of Order
1	PPP-MII Order 201	7 Not Applicable	Exemepted under OM No.F.4/1/2023-PPD(pt.) dated 28.06.2024
2	MSEs Order 2012	Not Applicable	Exemepted under OM No.F.4/1/2023-PPD(pt.) dated 28.06.2024
<u>Ten</u>	der Inviting Au	<u>thority</u>	
Nam	Name Deputy Registrar		
Addr	ddress Purchase and Stores Section, IIT(ISM) Dhanbad		

Tender Creator Details		
Created By	Ashish Singh	
Designation	Junior Superintendent (Admin)	
Created Date	30-Jan-2025 07:14 PM	

INDIAN INSTITUTE OF TECHNOLOGY (INDIAN SCHOOL OF MINES) DHANBAD

Tender No. CR-INS-CPPP-127-24-25

E-TENDER NOTICE (Global Tender Enquiry)

The Indian Institute of Technology (Indian School of Mines) Dhanbad invites Bids from eligible, qualified, and capable manufacturer/dealer/suppliers for "Supply and Installation of NMR Spectrometer with Electronics and Console", according to the requirements as defined in the Tender document.

SI.	Tender No.	Particulars	Required	Amount of
No			Quantity	EMD
1.	CR-INS-CPPP-127-24-25	"Supply and Installation of NMR	1	Rs.18,00,000
		Spectrometer with Electronics and		
		Console"		

Earnest Money Deposit (EMD) in the form of Demand Draft should be drawn in favour of Registrar, IIT (ISM) Dhanbad payable at Dhanbad. EMD can also be deposited in the form of a Term Deposit Receipt/Fixed Deposit Receipt/Bank Guarantee drawn in favour of Registrar, IIT (ISM) Dhanbad. A scanned copy of EMD should be uploaded on www.eprocure.gov.in along with the technical bid.

The hard copy of the same in the original is to be sent to the address mentioned below duly super scribing the Tender Number and Name on the envelope and the same must reach in the IIT (ISM) Dhanbad on or before the due date and time for the opening of technical bid. If not received within 05 days after the last date of submission of bid, the bid will be summarily rejected.

SI. No.	Description	Date	Time
1	Tender Publication Date	31.01.2025	06:50 PM
2	Pre-Bid Conference date and time	10.02.2025	11:00 AM
3	Bid submission start date and time	11.02.2025	06:00 PM
4	Bid submission end date and time	14.03.2025	06:00 PM
5	Technical Bid opening date and time	17.03.2025	11:00 AM
6	Financial Bid opening	Technically qualified bidders will be informed about date and time of opening of financial bids through CPPP.	

IIT (ISM) Dhanbad reserves the right to accept or reject the tenders without assigning any reason. The original EMD should be sent to:

Deputy Registrar (Purchase and Stores) IIT (ISM) Dhanbad, Distt. Dhanbad – 826004 Jharkhand.

Deputy Registrar (Purchase and Stores)
IIT (ISM) Dhanbad

Date: 31.01.2025

Instructions to the bidders for online bid submission

The bidders are required to submit their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal to prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal. More information for submitting online bids on the CPP Portal may be obtained at https://eprocure.gov.in.

1. Registration:

- (a) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in by clicking on the link "Online bidder Enrollment" on the CPP Portal which is free of charge.
- (b) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- (c) Bidders are advised to register their valid email addresses and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- (d) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India, with their profile.
- (e) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible for ensuring that they do not lend their DSC's to others which may lead to misuse.
- (f) Bidder then logs in to the site through the secured log-in by entering their user ID/ Password and the password of the DSC / e-Token.

2. Searching for tender documents:

- (a) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- (b) Once the bidders have selected the tenders they are interested in, they may download the required documents/tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS/E-mail in case there is any corrigendum issued to the tender document.
- (c) The bidder should make a note of the unique Tender ID assigned to each tender; in case they want to obtain any clarification/help from the Helpdesk.

3. Assistance to bidders:

- (a) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.
- (b) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.

4. Submission of the bid:

All interested eligible bidders are requested to submit their bids online through CPP Portal: http://eprocure.gov.in as per the criteria given in this document:

- (a) Technical Bid should be uploaded online in cover-1.
- (b) One single pdf containing all technical documents, duly filled and signed Annexures, copy of EMD etc. must be uploaded.
- (c) Financial Bid should be uploaded online in cover-2.

Both Technical and Financial Bid covers should be placed online on the CPP Portal http://eprocure.gov.in.

(A) Technical bid:

Signed and Scanned copies of the technical bid documents must be submitted online on CPP Portal: http://eprocure.gov.in.

List of Documents to be scanned and uploaded with Technical Bid (Under Cover-1). The enclosures have to be attached in the serial order as mentioned hereunder:

- (i) Scanned copy of EMD deposited in the form of Demand Draft, Term Deposit Receipt/Fixed Deposit Receipt/Bank Guarantee drawn in favor of Registrar, IIT (ISM) Dhanbad.
- (ii) A scanned copy of the certificate mentioning the status of the Firm/Agency/Company/proprietary/ partnership (as applicable) from the competent authority.
- (iii) Scanned copy of certificate from the OEM indicating that the Firm/Agency/Company/proprietary/partnership is authorized/registered to sale/ supply the tendered items.
- (iv) Scanned copy of PAN Card (as applicable to the type of tenderer) and Goods and Services Tax Registration Certificate.
- (v) Scanned copy of duly filled **Annexure-A**, **Annexure-B**, **Annexure-C**, **Annexure- D**, **Annexure-E**, **Annexure-F**, **Annexure-G** and **Annexure-H**.
- (vi) Scanned copy of purchase/work/supply order as proof of past performance (if any).
- (vii) Scanned Copy of Original catalogue/brochures of the items quoted.

Note: (a) All the above-mentioned documents must be scanned and merged as a single PDF along with the Technical Bid. This single PDF of Technical Bid should be uploaded under Technical Cover in CPP Portal.

- (b) The technical bid may be rejected, if the above-mentioned documents are not attached.
- (c) For the tender value up to Rs. 10 Crores, Self-Certificate for local content, and for the tender value above Rs. 10 Crores, Certificate for local content from Statutory Auditor/Cost Auditor/Cost Accountant/CA, must be attached.

(B) Financial bid:

In preparing the financial bids, bidders are expected to consider the requirements and conditions laid down in this Tender document. The financial bids should be uploaded online as per the specified ".xls" format i.e. Price Bid Excel sheet attached as '.xls' with the tender and based on the scope of work, service conditions and other terms of the Tender document.

5. Other instructions:

- (a) The detailed tender documents may be downloaded from http://eprocure.gov.in till the last date of submission of the tender. The tender can only be submitted online through CPP Portal http://eprocure.gov.in
- (b) Bids will be received only online mode through www.eprocure.gov.in up to the date & time mentioned in the E- TENDER NOTICE. No tender/bid will be accepted in physical form and any tender/bid received in such manner will be treated as non-bonafide tender/bid.
- (c) Bid will be opened on the scheduled date and time in the presence of tenderers/bidders or their authorized representatives (if any), who have uploaded their quotation/ bid and who wish to be present at the time of opening the bids.
- (d) All the bids must be valid for a period of 180 days from the last date of submission.
- (e) Bidders are requested to go through the instructions regarding filling and submission of the tender attached herewith. Bidders may forward their points on tender documents and/or depute their technical representative for discussion on tender/drawing and to clarify doubts, if any, on the stipulated pre-bid date.
- (f) Bidders shall upload a scanned copy of the Earnest Money Deposit (EMD) mentioned in the Notice of Tender and shall ensure the receipt of a hard copy of the same in the Purchase and Stores Section, IIT (ISM) Dhanbad, Distt. Dhanbad - 826004, Jharkhand, on or before the scheduled date of opening of bid. In case of failure of the same, the technical bid will not be evaluated.
- (g) In view of delays due to system failure or other communication-related failures, it is suggested that the tender/bid be uploaded sufficiently in advance of the last due date and time fixed.
- (h) If any alterations to any of the conditions, specifications laid down in the tender documents are found or any new condition is mentioned by the tenderer, in the tender document, such tender/bid will be rejected.
- (i) IIT (ISM) Dhanbad reserves the right to cancel the tender at any point of time without assigning any reason.
- (j) The details of the Independent External Monitors (IEMs) are as under:

SI. No.	Name of the Independent External Monitor(IEM)	E-mail ID
1.	Shri Anant Kumar	iem1@iitism.ac.in
2.	Shri Hari Shanker Gupta	iem2@iitism.ac.in

Note: Annexure-H (Integrity Pact) is mandatory. In case of non-submission of the duly filled Annexure-H (Integrity Pact) by the bidder, the submitted tender shall be summarily rejected.

TENDER FOR "Supply and Installation of NMR Spectrometer with Electronics and Console"

TERMS AND CONDITIONS

- **1.** The technical specifications/conditions are mentioned in **Annexure-III**. Bidders are required to go through the technical specifications/conditions carefully before submission of bids.
- **2.** Tender Specific Authorization letter from Original Equipment Manufacturer (OEM) in favor of the bidder must be uploaded with technical bid for each item quoted.
- **3.** The tenderer should upload detailed technical description/catalogue/brochure along with the technical bid. If not uploaded, the bid may be summarily rejected. If there is any deviation in specifications mentioned in the technical bid and Catalogue/Brochure, then the specifications given in the technical bid shall be considered and shall be treated as final.
- **4.** The tenderer should not have been debarred or blacklisted by any Central / State Government. A self-attested certification to that effect must be uploaded with the technical bid in the prescribed format. The proforma of the certificate is enclosed with the tender as **Annexure-A**.
- 5. All the bids must be valid for a period of 180 days from the last date of submission. In exceptional circumstances, prior to expiry of the original time limit, the Institute may request the bidders to extend the period of validity for a specified additional period beyond the original validity of 180 days. The request and the bidders' responses shall be made in writing. The bidders, not agreeing to such extensions will be allowed to withdraw their bids without forfeiture of their Bid Security.
- **6. EMD Exemption:** EMD exemption shall be given to those bidders who are registered with the Central Purchase Organization or NSIC or MICRO and Small Enterprises (MSEs) as defined in MSME Procurement Policy issued by the Department of Micro and Small Enterprises (MSME). To claim the exemption, the bidder must be offering goods manufactured by themselves or providing relevant services. Exemption will not be granted in case the bidder is acting as an agent for some other vendor. Bidders are required to upload necessary certificates to claim EMD exemption.

7. Instruction to the bidder of countries which share land border with India (Rule 144(xi) GFRs).

Any bidder from a country that shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Department for Promotion of Industry and Internal Trade (DPIIT). As per Office Memorandum No. F.7/10/2021-PPD (1) dated: 23.02.2023 issued by the Department of Expenditure (Ministry of Finance), Govt. of India, the bidder is required to submit an undertaking as per **Annexure-D**.

8. MII & Purchase Preference:

The MII compliances shall be as per Govt. of India guidelines. Only Class-I local suppliers and Class-II local suppliers are eligible to participate in the tender. As per the Ministry of Commerce and Industry Order No. P-45021/2/2017-PP(BE-II) dated 04.06.2020 preference shall be given to Make in India products for which bidders must declare Country of Origin of goods and

percentage of Local contents in the product. The purchase preference shall be as per Govt. of India guidelines. All the bidders must upload undertaking as per Annexure-C with the Technical Bid.All the bidders must upload undertaking as per **Annexure-C** with the Technical Bid.

9. Evaluation Procedure:

Phase-I: Technical Evaluation

Technical evaluation will be done based on documents submitted by the bidder in the technical bid. Hence bidders are required to enclose all relevant documents along with the technical bid. Discrepancy in relevant supporting documents shall lead to the rejection of technical bids.

Phase-II: Financial Evaluation

- a. Financial bids of the technically qualified bidders shall only be opened.
- b. The bid will be awarded to the L-1 bidder.

10. Delivery, Installation and Commissioning:

For Foreign Consignment: The delivery, installation and commissioning of the item(s) must be made within 24 weeks from the issue of Letter of Credit (LC).

For Indigenous Consignment: The delivery, installation and commissioning of the item(s) must be within 24 weeks from the issue of the Purchase Order.

Any requirement for installation (if applicable) should be communicated at least one month before installation to make suitable arrangements.

11. Prices:

For Foreign Bids: The price should be quoted on FOR IIT(ISM) Dhanbad basis including all applicable taxes, Charges etc. The Institute shall provide Custom Duty Exemption Certificate. The exchange rate should be considered on the date of opening of the tender.

For Indigenous Bids: The price should be quoted on FOR IIT(ISM) Dhanbad basis including all applicable taxes, Charges etc.

12. Liquidated damages (LD):

If a bidder fails to deliver/install/commission the item or any part thereof within the period prescribed for delivery, installation and commissioning, the Institute shall be entitled to recover as liquidated damages a sum equivalent to 1% (one percent) per week of the purchase order. The total damages shall not exceed 5% (five percent) of the value of the purchase order.

For Foreign Order: Delivery, Installation and commissioning period will be counted from the date of issue of Letter of Credit (LC).

For Indigenous Order: Delivery, Installation and commissioning period will be counted from the date of issue of Purchase Order.

13. Inspection:

Institute authority will inspect the supplied item after delivery/installation/commissioning, whichever is applicable. In case item is not supplied/installed (as the case may be) as per specifications of the purchase order or item is not working satisfactorily, then the same will be rejected.

14. Training:

The tenderer will have to provide training to the designated staff of the Institute after successful delivery/installation/commissioning. The training should include operation, maintenance, troubleshooting, safety, and routine care of the item.

15. Payment Terms:

For Foreign Payment: The payment will be released through Irrevocable Letter of Credit (LC). Irrevocable Letter of Credit (LC) will be established for 90% of the Purchase Order (PO) value on submission of order acceptance letter, proforma invoice with the details of terms & conditions to open LC with the entire Bank details and integrity pact. The 90% of the invoice amount will be paid on presentation of original shipping documents and other applicable documents to our bankers and the balance 10% will be paid after successful installation, commissioning, demonstration of the whole system, imparting training (if applicable) and on receipt of performance security @ 5% of total order value valid for 14 months from the date of installation.

For Indigenous Payment: 100% payment shall be made by NEFT/RTGS against submission of bills in triplicate, only after satisfying following conditions:

- a. Successful delivery, Installation and commissioning by supplier.
- b. Inspection and testing of the items by the Institute authority.
- c. Training provided by the supplier.
- d. Supply of all manuals, Installation Certificate and calibration Certificate.
- e. Submission of Performance security.
- f. Submission of duly signed & stamped guarantee / warranty declaration certificate.
- g. Payment shall not be made for part supply/work.

16. Extension of Delivery/Installation/Commissioning Period:

If the supplier is unable to deliver/install and satisfactorily commission the order within the stipulated time, for which the supplier is responsible, he is required to request in writing for the extension of the delivery/Installation/Commissioning period before the stipulated date of delivery/Installation/Commissioning. It may be extended at the discretion of competent authority with/without imposing liquidated damages. In case the supplier has failed to complete the order within the stipulated time, the Institute reserves the right to cancel the purchase order and to forfeit performance security and/or EMD.

17. Warranty:

a. **Minimum Warranty** is to be provided for **One year**. If the warranty mentioned in the catalogue is less than the specified time, in that case, the supplier must provide for the remaining period. In case the product comes with more than the stipulated guarantee/ warranty period, it will be provided by the supplier free of cost.

- b. Guarantee / Warranty will commence from the date of the satisfactory installation/commissioning of equipment against the defect of any manufacturing and poor quality of components.
- c. A signed & stamped guarantee/warranty declaration certificate will have to be furnished by the successful tenderer at the time of supply along with the bills.
- d. In case the supplier has failed to repair/rectify the equipment during the guarantee/warranty period in a reasonable time not exceeding 3 weeks, the Institute may employ or pay other parties for such repairs of the equipment and all such damages, loss and expenses shall be recoverable from the performance security submitted by the supplier.

18. Performance Security:

- a. To ensure due performance of the item, performance security is to be furnished by the successful tenderer.
- b. The performance security should be furnished within 21 days of the award of supply order.
- c. Performance security should be for an amount of five percent (5%) of the total value of the supply order.
- d. Performance security may be furnished in the form of a Demand Draft/ Fixed Deposit Receipt / Bank Guarantee from a commercial bank in favour of Registrar IIT (ISM) Dhanbad, payable at Dhanbad.
- e. Performance security should remain valid for a period of 14 months from the date of installation. The performance security will be refunded without any interest, provided that the performance is satisfactory.

19. Refund of EMD

- a. EMD will be refunded without any interest to the successful tenderer on receipt of performance security.
- b. The tenderer, who are not qualified for the tender either in technical bid or on any other grounds, their EMD will be refunded within 30 days from the award of the contract.
- c. If supply order is placed and the successful tenderer fails or refuses to supply the item, in such case the EMD will be forfeited.
- **20.** Cancellation of tender: IIT (ISM) Dhanbad reserves the right to cancel the tender at any point of time without assigning any reason.
- 21. Legal: Any dispute regarding the meaning, effect or interpretation of any clause of this contract/agreement shall be referred to the sole Arbitrator i.e. Director, IIT (ISM) Dhanbad who would act as the sole Arbitrator and proceedings of such arbitration shall be conducted in accordance with the provisions of the Indian Arbitration Act, 1940 or any statutory modification thereof. The venue of Arbitration shall be IIT (ISM) Dhanbad only and the language shall be English only. In case of litigation, if any, the District Court of Dhanbad (Jharkhand) shall have the jurisdiction for any such litigation.

Specifications for Supply and Installation of NMR Spectrometer with Electronics and Console

The NMR spectrometer should be based on state of the art 11.75 Tesla based (operational frequency of 500 MHz) Solution, Semisolid and Solid-state NMR spectrometer with the following specifications:

Detailed Specifications (Generic)

1. Magnet system (standard bore):

- i. The shortest possible radial (\leq 0.6m) and axial distance (\leq 1.2m) of stray (5 Gauss) field from the center of the magnet. Magnet system with built-in Electromagnetic Disturbance Suppression (EDS) using a proprietary technology for an efficient suppression of external disturbances (typically up to 99 %) like subways, railway lines and trams, corridor traffic, elevators, power lines or outside vehicular traffic.
- ii. Overall Magnet dimensions (ceiling height requirements: (≤3m) have to be specified along with Liquid Helium Transfer line.
- iii. Drift rate of the magnetic field should be ≤ 5 Hz/hour better. Very high field stability with a guaranteed drift rate of < 10 ppb / hr. Alarm functions for low helium level (MICS).
- iv. Liquid Helium hold time should be minimum ≥365 days or higher with auto level monitoring, recording and alarm. The Liquid Helium Refill volume should be less than 120 Ltrs .
- v. Longest possible liquid N2 hold time with auto level monitoring, recording and alarm.
- vii. All support equipment for cryostat (e.g., liquid He and liq. N₂ transfer lines) should be quoted.
- viii. Anti-vibration legs/stand and the lower limits on the frequency of vibrations damped (≥14Hz) have to be specified.
- ix. High performance cryo- and room temperature shim system for optimal line shape. Mention the numbers of State-of-the-art room temperature shims as well as cryo-shims for best line shape including line width and all other related items should be quoted. A Minimum of 36 Room Temperature shim systems and minimum 9 cryogenically cooled shim systems is desired.
- x. All the accessories, software and hardware to perform automated and manual shimming should be included in the quotation.
- xi. Deuterium Lock channel should be compatible with gradients and automated shimming hardware.
- Xii. The magnet should be compatible with pneumatic/automatic sample load/spin/eject system
- **2. Spectrometer Console:** The spectrometer should have two independent RF-channels (frequency range of operation should be specified) with best frequency and phase resolution; fast switching time for all parameters without any hidden delays. The configuration and bandwidth of each channel has to be specified. The console (electronics) should include:
- i. Broad band frequency synthesizer should be present for each channel
- ii. Each channel should have frequency, phase and amplitude shaping capabilities with simultaneous switching of the parameters possible in < 12.5ns
- iii. Waveform generators (for pulse shaping) should be present for all channels. Multi Receiver Capability is a must due to the nature of samples. Receiver in each channel for sequential as well as parallel acquisition of nuclei (2 channels = 2 receivers). It is required to study of kinetic analysis in 1H and P31 at the same time and in situ reaction monitoring purpose.
- iv. Amplitude, phase and composite pulse decoupling generator.
- v. Pre-amplifiers and filters for noise reduction

- vi. High-power linear broadband amplifier (minimum of 100 W for ¹H channel and 500 W for X channel) to provide the shortest possible pulse-widths. Please specify all relevant parameters including power (Wattage), frequency range, duty cycle, maximum pulse duration etc.
- vii. The electronics should be capable of handling/executing multi receiver experiments for simultaneous acquisition of 1D ¹H/¹⁵N, ¹H/¹³C, ¹H/¹⁹F, ¹H/³¹P one dimensional experiments in multi receiver mode.
- viii. Transmitter controllers should be provided for each channel.
- ix. ADC with high dynamic range and sampling rate. Please specify the resolution of the ADC (in bits) and the maximum sample rate.
- x. Preamplifier for multinuclear observation, ²H-lock, all necessary filters for noise and artifact reduction; Digital lock control unit and digital lock deceiver; deuterium amplifier with integrated lock switch for automatic gradient (room temperature) shimming and shim control boards.
- xi. Magnetic field z-axis gradient unit (kindly specify the maximum gradient strength ≥50G/cm that can be generated with a minimum of 10 A external gradient amplifier) for the control for execution of gradient spectroscopy, gradient shimming, generation of pulsed field gradient (PFG) of desired shape and intensity, high quality PFG based solvent suppression, coherence selection and DOSY experiments etc.
- xii. Variable temperature unit having broad temperature range (both low and high) capability is desired: A suitable control unit for high temperature of the order of -150 to +150 deg C is desired along with low temperature accessories. Please specify temperature ranges available for both magic angle spinning and static sample NMR work. Please specify resolution/accuracy/stability of temperature setting of the variable temperature unit.
- xiii. Digital quadrature detection, ethernet based communication and control system for bidirectional connection to the host computer.
- xiv. Magic Angle Spinning (MAS) accessory for magic angle spinning that can execute state of the art spinning controller for the highest possible spinning speed with indicator, pulse trigger for computer control etc. for performing all types of solid-state NMR experiments.

1. Probes

3a. Liquid/solution state NMR probe:

- i. High resolution 5 mm variable temperature 500 MHz solution state probe(s) compatible with the magnet system. It should be equipped with single axis Z-gradient coils for execution of gradient spectroscopy, gradient shimming generation of pulsed field gradient (PGF) of desired shape, high quality PFG based solvent suppression, coherence selection and DOSY experiments etc. (kindly specify the maximum gradient strength that can be generated on the probe).
- ii. The probe(s) should be fitted with a ²H lock channel and it should also have an automatic tuning and matching accessory.
- iii. Appropriate amplifiers and RF sources should be quoted in the electronics section to match this probe. The minimum operational temperature range for the probe should be -150°C to +150 °C or better and it should include all consumables, accessories and controllers for low and high temperature operations.
- The following should be specified and supporting specification sheet along with one representative spectrum with parameter details that has been recorded on this type of probe should be included in the quote
- a) 90° Pulse widths and power for ¹H, ³¹P, ¹9F, ¹³C, ¹5N etc., must meet the following criteria:-

Pulse Widths

1H pulse width ≤ 8 µs

19F pulse width ≤ 12 μs

13C pulse width ≤ 10 µs

31P pulse width ≤ 12 µs

15N pulse width ≤ 15 µs

b) Best resolution and line-shape (please specify the line-widths achievable) and against which standard. The Probe must show excellent sensitivity for both in single tune and dual tune mode and there must not be any drop of sensitivity of 1H (19F decoupled) spectra.

Signal/Noise		
1H sensitivity	≥800:1	(0.1% EB; 200 Hz noise; LB=1 Hz; s=0.23 mm)
19F sensitivity (1H	≥ 600:1	(TFT; 1ppm noise; LB=0.5 Hz; s=0.38mm)
dec)		
13C sensitivity	≥ 275:1	(ASTM; 40ppm noise; LB=3.5 Hz; s=0.23mm)
	≥ 305:1	(ASTM; 5ppm noise; LB=3.7 Hz; s=0.23mm)
13C sesitivity (1H dec)	≥ 310:1	(10% EB; 40ppm noise; LB=0.3 Hz; s=0.23mm)
	≥ 355:1	(10% EB; 5ppm noise; LB=0.1 Hz; s=0.23mm)
31P sensitivity	≥ 250:1	(TPP; 5ppm noise; LB=5 Hz; s=0.38mm)
15N sensitivity	≥ 40:1	(90% Formamide; 2ppm noise; LB=0.3 Hz; s=0.38mm)

- c) Specify temperature range under which the probe(s) can work
- d) Suitable filters have to be included in the electronics for operation of the probe.
- 3b. Comprehensive Multiphase (CMP- NMR) Probe: A broad branded 4 mm double resonance probe for double usage HR-MAS and CP-MAS. The probe should be optimized for 1H observation with X-nuclei decoupling, the probe supports HR-MAS and solid-state NMR experiments. Probe equipped with Automatic Tuning and Matching Accessor (ATMA) including automated magic angle (MA) adjustment. The probe should be able to carry out both CPMAS as well as HR-NMR experiments on the following nuclei to at least cover the following nuclei ¹H, ¹⁹F and ³¹P, ²⁷Al, ⁷⁹Br, ²⁰⁷Pb, ⁶Li, ⁷Li, ¹¹B, ²³Na, ¹³C, ²⁹Si and ¹⁵N nuclei. *Top loading facility for solid state Probe must be available in automation mode using autosampler/Manual mode.* There should be a single advanced probe for both solid state and semi solid NMR experiments. The probe should be built with high power circuitry, Magic Angle Spinning (MAS), should be fitted with a lock channel, pulse field gradients, and is fully susceptibility matched probe. This probe has to cover all HR-MAS aspects without compromising power handling to permit the full range of solution-, gel- and solid-state experiments available today. Following features must be present in the probe: -

Optimized for 1H observation - BB decoupling or observation - BB range: 15N, 13C and 31P etc with 2H lock channel - Gradient strength of 50G/cm with 10A gradient amplifier- Strong 1H decoupling and H/X cross polarization - Fast Automatic Tuning & Matching - Automatic magic angle adjustment - Max. rotation frequency: 15 kHz - Sample volume: 12, 25, 50 or 80 ul using dedicated rotors & inserts -.

- iv. Temperature range: -30 °C to +80 °C VT gas: Automatic probe recognition
- v. Suitable power amplifiers and filters have to be included in the electronics for efficient operation of the probe
- vi. Compatible sample rotors 10 nos. along with packing tools should be quoted
- 4. Data storage/software/Peripherals comprising of the following:
- i. Latest high-performance state of the art LINUX/Windows based workstations complete with pre-loaded software/data cards for data acquisition, processing and analyses including tools/software for complete automation of data acquisition and peripherals including LCD monitors should be quoted. Compatibility for both Windows and Linux is desirable for controlling NMR data acquisition and processing. Software controlled power up and power down of the entire spectrometer.
- ii. All required hardware and software related documents, manuals, installation CDs/DVDs, cables, connectors, etc. should be provided
- iii. The NMR software(s) should be state-of-the-art, most comprehensive. A minimum of 50 processing licenses should be included in the quote.

- iv. The software should be capable of all up-to-date heteronuclear multi-dimensional NMR experiments including latest experiments for acquisition and reconstruction from sparse data and multi-dimensional NMR spectroscopy. It should be capable of handling/executing multi receiver experiments under simultaneous acquisition in dual/multi receiver mode
- v. Package should include all the latest pulse sequences for multi-dimensional NMR experiments available with the vendor. Please provide list of pulse sequences available for ready use.
- vi. Licensed software/modules should include the following: Acquisition, processing, plotting, multiplet analysis, deconvolution, automation, quantitative NMR spectroscopy, DOSY experiments along with software assisted structure elucidation and confirmation.
- vii. Any software upgrade (pulse sequence and processing) or new software (pulse sequence and processing) that are released during the warranty should be provided to the user free of cost. Software should be provided in DVD/CDs.
- viii. An auto sampler capable of handling a minimum of 60 liquid/solid samples with 60 spinners.
- ix. One LaserJet B/W printer

5. Consumables and Accessories:

- i. One set of all relevant certified standard reference standards should be provided for full operational qualification and instrument performance verification (viz lineshape, sensitivity, resolution, pulse calibration
- ii. NMR tubes 5mm-1000 numbers

An additional latest high-performance state of the art LINUX/Windows based workstations complete with pre-loaded software/data cards for data acquisition, processing and analyses including tools/software for complete processing of data acquisition and peripherals including LCD monitors should be quoted. It should be compatible for both Windows and Linux is desirable for controlling, acquisition and/or processing NMR data.

- iii. Essential spare parts for magnet/spectrometer
- iv. initial supply of cryogen (liquid helium) required for installation should be provided by the NMR supplier at their expense
- v. Associated basic toolkit for conducting simple maintenance and repair of the instrument should be supplied.
- vi. Additional 10 nos. of spinners for NMR operations should be provided.

6. Other essential accessories should be quoted

- i. A compatible online 10 KVA UPS with isolation transformer. Please specify items to be provided by the user such as UPS (with wattage), compressors, generators etc. required for installation and/or regular usage of the system
- ii. A 3 HP scroll type (oil and moisture free) air compressor compatible with the instrument with an additional (min of 90L) S.S. buffer tank and one active alumina-based pressure swing dryer with suitable connectors fittings and filters
- iii. Four nos. liquid N_2 dewars (50L) along with necessary accessories for refilling of cryogens in the magnet should be provided.

7. Installation

- i. Installation and commissioning should be the complete responsibility of the supplier.
- ii. The supplier/ bidder needs to arrange all kinds of magnet hoisting mechanism through "A" Frame or chain Pulley. IIT Dhanbad will not provide anything in this regard.
- iii. No extra payments will be made during the installation other than the ones quoted in the bid.

8. Service and support:

i. Comprehensive Maintenance Contract (CMC) for additional 4 years on all parts and spares including labor included) after completion of 1 year factory warranty.

- ii. Regular upgrades to all software should be provided for entire service life of the instrument. The manufacturer has to take all the responsibilities (including financial, insurance etc.) for shipping and installation.
- iii. Please quote the shortest possible time(if possible) for delivery /Installation/Commissioning of the complete system.
- vi. On-site training should be provided to personnel for smooth operation and maintenance of the complete system.
- vii. The Manufacturer / Bidder must have their appropriate technical support system available in Eastern India. The Bidder must have their experienced Application Scientist and Service Engineer located in Kolkata / Eastern Region of India. A list comprising of the details of Application Scientist and Service Engineer must be attached with the bid.
- vii. Service/maintenance/repair request response should be initiated promptly within 02 days of registering the request.
- 9. Price quoted should be FOR IIT (ISM) Dhanbad.

10. Pre -Qualification Criteria: -

- i. The Manufacturer / Bidder must have completed at least 3 Installations of 500 MHz FT-NMR Spectrometer or higher versions of NMR in the Eastern Zone of India. (latest list of users of the said instrument should be provided).
- ii. A detailed list of on-site installation requirements has to be provided by the vendor.

SELF-CERTIFIED DECLARATIONS FOR TAKING PART IN TENDER

- a. Regarding blacklisting / debarring
- b. Insolvency

1.	I / We (Tenderer) hereby declare that the firm not been declared as insolvent by the Central/State Organization.	
	AND	
2.	I / We (Tenderer) hereby declare that the firm has not been black. Central/State Government or any other Organization tenders in India. OR	klisted or debarred in the past by the
(Name w.e.f.	(Tenderer) hereby declare that the was blacklisted or debarred by of organization) from taking part in Government to The period is expired and now the Government tenders.	enders for a period of years
the IIT	e the above information is found to be false at any po (ISM) Dhanbad can cancel the purchase order and yment for any supplied item against cancelled purch	forfeit the EMD. Further, I will not claim
Date	:	
Place	9 :	
		Signature:
		Name:
		Address:
		Stamp:

Details of quoted item

(This Annexure must be submitted separately for each item mentioned in Annexure-III)

Tender No. CR-INS-CPPP-127-24-25

Name of Tender: "Supply and Installation	on of NMR Spectrometer with Electronics and Consol
1. Name of the Equipment/Produc	xt
Name of original manufacturer_	
3. Make/Brand:	
4. Model Number:	(provide complete literature/catalogue)
5. Warranty Period:(m	onths)
6. Delivery, Installation and Comm	issioning Time:(days)
7. Specifications: Details of techni-	cal specifications of quoted item are as under
Note: Technical Specifications for quoted	l item should strictly as per Annexure-III.
Technical Specifications	Quantity
Date:	Signature:
Place:	Name:
	Address: Stamp:
	Otaliip.

Declaration for Local Content

(To be given on Company Letter Head)- For the item value below Rs.10 Crores) (To be given by the Statutory Auditor/Cost Auditor/Cost Accountant/CA for the item value above Rs.10 Crores)

			Date:
To, The Director IIT (ISM) Dh			
Sub: Declara	ation of Local content.		
Tender No:	CR-INS-CPPP-127-24-25		
Name of Ter	nder: "Supply and Installati	on of NMR Spectron	neter with Electronics and Consol
In accordance	ce with the order No. P-4502	1/2/2017-PP (BE-II) d	ated 04 th June, 2020, I hereby decla
i) I	am aware of the Order No. F	P-45021/2/2017-PP (B	E-II) dated 04 th June, 2020 and abide
		am a Class-I local su	pplier / Class-II local supplier / No
iii) L W ot (e (ir iv) T	content of goods/services/wo cocal content (in percentage/hereas 'Local Content' me herwise prescribed by the excluding net domestic indirect including all customs duties) a The local content for all input	rk offered by bidder in e) for offered item is: ans the amount of va Nodal Ministry, be t ect taxes) minus the values a proportion of the is s which constitute the	% lue added in India which shall, unle he total value of the item procure value of imported content in the ite
a o to a	ware that false declaration wif the General Financial Rules two years as per Rule 15 actions as may be permissible	vill be in breach of Co s for which a bidder or I (iii) of the General F e under law.	de of Integrity under Rule 175(1)(i)(its successors can be debarred for the successors can be debarred for the such other local value addition is made:
SI. No.	ITEM (S)	AMOUNT	LOCATION(S)
1.	TTEM (O)	7 11/10 0141	200/11/01(0)
2.			
3.			
4.			
5.			
			Yours Faithfully,

.

(Signature) Seal

Certificate by the bidder

\Box	9	t۵	٠

To, The Director, IIT (ISM) Dhanbad.

Subject: Undertaking regarding type of bidder.

Reference: Office Memorandum No. F.7/10/2021-PPD (1) dated: 23.02.2023 issued by Department of Expenditure, Ministry of Finance, Govt. of India.

Tender No. CR-INS-CPPP-127-24-25

Name of Tender: "Supply and Installation of NMR Spectrometer with Electronics and Console"

Sir.

- 1. I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfils all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority is attached.]
- 2. I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. I hereby certify that this bidder fulfills all the requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority is attached.]"

Yours Faithfully,

(Signature of the Bidder)

Seal

Tender Acceptance Letter

To, The Director, IIT (ISM) Dhanbad.

Subject: Acceptance of Terms & Conditions of Tender.

Tender No. CR-INS-CPPP-127-24-25

Name of Tender: "Supply and Installation of "Supply and Installation of NMR Spectrometer with Electronics and Console"
Sir

- 1. I / We hereby certify that I/we have read the entire tender document including all annexures. I/we have read all the terms and conditions of the tender documents. I/we hereby undertake that I/we shall abide by the terms/conditions/clauses mentioned in the tender document.
- 2. The corrigendum(s) issued from time to time by your department/ organization too have also been taken into consideration, while submitting this acceptance letter.
- 3. I / We hereby unconditionally accept the tender conditions of above-mentioned tender document(s) / corrigendum(s) in its totality/entirety.
- 4. I / We will supply/provide the goods/services as per the specifications/conditions as mentioned in Annexure-III.
- 5. I / We do hereby declare that our Firm has not been blacklisted/ debarred/ terminated/ banned by any Govt. Department/Public sector undertaking.
- 6. I / We certify that all information furnished by me/our firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the Earnest Money Deposit.

Yours Faithfully,

(Signature of the Bidder)

Seal

Price Fall Clause Certificate

I/We_	
undertake that we have not offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / are not sproducts / systems or sub systems at a price lower than that offered to supply / supplied / sproducts / systems or sub systems at a price lower than that offered to supply / supplied / sproducts / systems or sub systems at a price lower than that offered to supply / supplied / sproducts / systems or sub systems at a price lower than that offered to supply / supplied / sproducts / sproducts / systems or sub systems at a price lower than that offered to supplied / sproducts / s	ed against the Tender no.
CR-INS-CPPP-127-24-25 in respect of any Organization/Ministry of India or its Subsidiaries or other PSU or any other private organization the contract and if it is found at any stage that same or similar systems was supplied by the bidder to any Organization/Ministry/Dindia or its Subsidiaries or other PSU or any other private organization the currency of the contract, then that very price will be applicable to difference in the cost would be refunded by the bidder to buyer, if been concluded.	zation during the currency ir product/systems or sub department of the Govt. of ion at a lower price during to the present case and the
I/We also accept that:	
1. I/We have to submit a copy of the last (latest) purchase order for received from any Organization/Ministry/Department of the Govt. or other PSU or any other private organization.	` ,
2. We will inform the purchaser of offer to supply/supply of the sillower rate to any Organization/Ministry/Department of the Govt. of other PSU or any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate to any other private organization during the currency of the sillower rate or any other private organization during the currency of the sillower rate or any other private organization during the currency of the sillower rate or any other private organization during the currency of the sillower rate or any other private organization during the currency of the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate or any other private organization during the sillower rate organization	India or its Subsidiaries or
Date:	Signature of the Tenderer
	Seal of the Firm

BID/TENDER SPECIFIC AUTHORIZATION LETTER

(To be given on OEM Letter Head)

To, The Director
IIT(ISM), Dhanbad.
Tender No.: CR-INS-CPPP-127-24-25
Name of Tender: "Supply and Installation of NMR Spectrometer with Electronics and Console"
Equipment Name:
Sir, 1. We,
1. We,, who are established and reputable manufacturers of
having factories at
hereby authorize (Name of Authorized Dealer/Distributor/Supplier) to bid, negotiate and conclude the contract with IIT (ISM) Dhanbad against this tender for the above goods manufactured by us.
2. No company or firm or individual other than are authorized to bid, negotiate and conclude the contract in regard to this business against this specific tender.
3. We also hereby undertake to provide full guarantee/warrantee /Comprehensive Annual Maintenance Contract as agreed by the bidder in the event the bidder is changed as the dealers, or the bidder fails to provide satisfactory after-sales and service during such period of Comprehensive Warranty / Comprehensive Annual Maintenance Contract and to supply all the spares/accessories/consumables etc. during the said period.
4. We hereby extend our full guarantee and warranty as per the conditions of the tender for the goods bided for supply against this tender by the above firm. The authorization is valid up to
Yours faithfully,
(Signature of the Tenderer)
For and on behalf of M/s
(Name of manufacturers)/Principal
Seal:

INTEGRITY PACT

(To be executed on a non-judicial Stamp Paper of Rs.100 and applicable for all tenders of threshold value above Rs. 1 Crore)

Preamble

In order to achieve these goals, the Principal will appoint Independent External Monitors (IEMs), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section 1 - Commitments of the Principal:

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - a) No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - b) The Principal will during the tender process treat all Bidder(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
 - The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions.

Section 2 - Commitments of the Bidder(s)/Contractor(s):

- (1) The Bidder(s)/Contractor(s) commit themselves to take all measures necessary to prevent corruption. The Bidder(s)/Contractor(s) commits themselves to observe the following principles during participation in the tender process and during the contract execution.
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other persons or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage or any kind whatsoever during the tender process or during the execution of the contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or nonsubmission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
 - c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to other, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly, the Bidder(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further details as mentioned in the "Guidelines of Indian Agents of Foreign suppliers" shall be disclosed by the Bidders(s)/Contractor(s). Further, as mentioned in the Guidelines all payments made to the Indian Agent/representative have to be in Indian Rupees only. "Guidelines on Indian Agents of Foreign Suppliers"
 - e) The Bidder(s)/Contractor(s) will, when presenting their bid, disclose any and all payments made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
 - f) Bidder(s)/Contractor(s) who have signed the Integrity Pact shall not approach the courts while representing the matter to IEMs and shall wait for their decision in the matter.
- (2) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section 3 - Disqualification from tender process and exclusion from future contracts:

If the Bidder(s)/Contractor(s), before award or during execution has committed a transgression through a violation of Section 2, above or in any other form such as to put their reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as per the procedure mentioned in the "Guidelines on Banning of business dealing".

Section 4 : Compensation for Damages

- If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit/Bid Security.
- If the Principal has terminated the contract according to Section3, or if the Principal is entitled to terminate the contract according to Section3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the Contract value or the amount equivalent to Performance Bank Guarantee.

Section 5 : Previous Transgression

- The Bidder declares that no previous transgressions occurred in the last three years with any other company in any country conforming to the anti-corruption approach or with any public sector enterprise in India that could justify his exclusion from the tender process.
- If the bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as per the procedure mentioned in "Guidelines on Banning of business dealing".

Section 6: Equal treatment of all Bidders / Contractors / Sub-Contractors.

- In case of sub-contracting, the Principal Contractor shall take the responsibility of adoption
 of Integrity Pact by the Sub-contractor.
- The Principal will enter into agreements with the identical conditions as this one with all bidders and Contractors.
- The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7: Criminal charges against violating Bidder(s) / Contractor(s) / Subcontractors(s)

If the Principal obtains knowledge of the conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor Subcontractor which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the same to the Chief Vigilance Officer.

Section 8 : Independent External Monitor

- The Principal appoints competent and credible Independent External Monitor for this Pact after approval by Central Vigilance Commission. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- The Monitor is not subject to instructions by the representatives of the parties and performs his/her functions neutrally and independently. The Monitor would have access to all contract documents, whenever required. It will be obligatory for him/her to treat the information and documents of bidders /contractors as confidential. He/she reports to the Director, IIT(ISM) Dhanbad.
- 3. The Bidder(s)/Contractor(s) accepts that the Monitor has the right to access without restriction to all project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his/her request and demonstration of a valid interest, unrestricted and unconditional access to their project documentation. The same is applicable to Subcontractors.

- 4. The Monitor is under contractual obligation to treat the information and documents of the Bidder(s)/Contractor(s)/Subcontractor(s) with confidentiality. The Monitor has also signed declarations on "Non – Disclosure of Confidential Information" and of "Absence of Conflict of Interest" In case of any conflict of interest arising at a later date, the IEM shall inform the Director, IIT(ISM) Dhanbad.
- 5. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- 6. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he/she will so inform the Management of the Principal and request the Management to discontinue or take corrective action, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- The Monitor will submit a written report to the Director, IIT(ISM) Dhanbad within 8 to 10
 weeks from the date of reference or intimation to him by the Principal and, should the Page
 5 of 7 occasion arise, submit proposals for correcting problematic situations.
- 8. If the Monitor has reported to the Director, IIT(ISM) Dhanbad, a substantiated suspicion of an offence under relevant IPC/PC Act, and the Director, IIT(ISM) Dhanbad has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.
- 9. The word "Monitor" would include both singular and plural.

Section 9: Pact Duration

This pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the contract, and for all other Bidders 6 months after the contract has been awarded. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings.

If any claim is made/lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by the Director, IIT(ISM) Dhanbad.

Section 10 - Other provisions:

- This agreement is subject to Indian Law, Place of performance and jurisdiction is the Office
 of the Director, IIT(ISM) Dhanbad.
- Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
- If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
- Should one or several provisions of this Pact turn out to be invalid, the remainder of this
 Pact remains valid. In this case, the parties will strive to come to an agreement to their
 original intentions.

- Issues like Warranty/Guarantee etc. shall be outside the purview of the IEMs.
- In the event of any contradiction between the Integrity Pact and its Annexure, the clause in the Integrity Pact will prevail.
- The actions stipulated in this Integrity Pact are without prejudice to any other legal action(s) that may follow in accordance with the provisions of the extent law in force relating to any civil or criminal proceedings.

IN WITNESS WHEREOF, the parties hereunto set their hands and seals and executed this INTEGRITY PACT as of the day/month/year first above written:

For & on behalf of Indian Institute of Technology (Indian School of Mines) Dhanbad (First Party) SIGNED, SEALED AND DELIVERED BY Name:.... Designation:.... Address:.... Authorized Signatory For and on behalf of M/s.(Second Party) SIGNED, SEALED AND DELIVERED BY Name:.... Designation:.... Address:.... Representative/authorized signatory vide resolution datedpassed by the Board of Directors In the presence of Witness: 1.

2.

Validate	Print	Help	Item Wise Bo
----------	-------	------	--------------

Tender Inviting Authority: Deputy Registrar (Purchase and Stores) IIT (ISM) Dhanbad.

Name of Work: NMR Spectrometer with Electronics and Console.

Contract No: 0326-2235678, 2235612

Name of the	
Bidder/	
Bidding Firm /	
Company:	

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

Si. No. Rem Description Rem Code/ Make William Description Rem Code/ Make William Description Rem Code/ Make William Description Res. Per Company Res. Per R		<u> </u>														
No. Make Ma	NUMBER#	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT#	TEXT #	NUMBER#	NUMBER	NUMBER	NUMBER	NUMBER	TEXT	NUMBER#	NUMBER #	TEXT #
1 Lab Equipments 1.01 NMR Spectrometer with Electronics and Console alongwith added consumables and accessories as per tender document. 1.02 A compatible online 10 KVA UPS with isolation transformer. 1.03 A 3 HP scroll type (oil and moisture free) air compressor compatible with the instrument with an additional (min of 90L) S.S. buffer tank. 1.04 One active alumina based pressure swing dryer with suitable concerts fittings and filters. 1.05 Liquid NZ dewars (50L) Joing with necessary accessories for refilling of cryogens in the magnet should be provided. 1.06 Comprehensive Annual Maintenance Contract (CAMC) charges for additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts and spares including labour after additional 4 years on all parts a		Item Description		Quantity	Units	Convertion against	Currency in INR / Other	Figures To be entered by the	in		Charges (Unloading & Stacking) in	Taxes/Dutie s/Levies in	charges in	It will be converted based on coloumn L value in	be converted only If you choose Full Conversion, Until than it is treated as INR in	
1.01 NMR Spectrometer with Electronics and Console alongwith added consumables and accessories as per tender document. 1.02 A compatible online 10 KVA UPS with isolation transformer. 1.03 A 3 HP scroll type (oil and moisture free) air compressor compatible with the instrument with an additional (min of 90L) S.S. buffer tank. 1.00 Nos Full Conversion INR 1.01 Nos Full Conversion INR 1.02 Nos Full Conversion INR 1.03 Nos Full Conversion INR 1.04 One active alumina based pressure swing dryer with suitable connectors fittings and filters. 1.05 Liquid NZ dewars (50L) Joing with necessary accessories for refilling of cryogens in the magnet should be provided. 1.06 Comprehensive Annual Maintenance Contract (CAMC) charges for additional 4 years on all parts and sparts a	1	2	3	4	5	11	12	13	14	15	16	17	18	53	54	55
1.01 consumables and accessories as per tender document. 1.02 A compatible online 10 KVA UPS with isolation transformer. 1.03 A 3 HP scroll type (oil and moisture free) air compressor compatible with the instrument with an additional (min of 90L) S.S. buffer tank. 1.00 Nos Full Conversion INR 1.01 Nos Full Conversion INR 1.02 Nos Full Conversion INR 1.03 Nos Full Conversion INR 1.04 One active alumina based pressure swing dryer with suitable connectors fittings and filters. 1.05 Liquid N2 dewars (50L) along with necessary accessories for refilling of cryogens in the magnet should be provided. 1.06 Comprehensive Annual Maintenance Contract (CAMC) charges for additional 4 years on all parts and sparse including labour after 1.00 Nos Full Conversion INR 1.06 Nos Full Conversion INR 1.07 Nos Full Conversion INR 1.08 Nos Full Conversion INR 1.09 Nos Full Conversion INR 1.00 Nos	1	Lab Equipments														
A 3 HP scroll type (oil and moisture free) air compressor compatible with the instrument with an additional (min of 90L) S.S. buffer tank. 1.00 Nos Full Conversion INR 1.04 One active alumina based pressure swing dryer with suitable connectors fittings and filters. 1.05 Liquid N2 dewars (50L) Joing with necessary accessories for refilling of cryogens in the magnet should be provided. 1.06 Comprehensive Annual Maintenance Contract (CAMC) charges for additional dyears on all parts and spares including labour after 1.07 Nos Full Conversion INR 1.08 Nos Full Conversion INR 1.09 Nos Full Conversion INR 1.00 Nos Full Conversion INR	1.01		item1	1.00	Nos	Full Conversion	INR							0.0000	0.0000	INR Zero Only
with the instrument with an additional (min of 90L) S.S. buffer tank. 1.00 Nos Full Conversion INR 1.04 One active alumina based pressure swing dryer with suitable connectors fittings and filters. 1.05 Liquid N2 dewars (50L) Joing with necessary accessories for refilling of cryogens in the magnet should be provided. 1.05 Comprehensive Annual Maintenance Contract (CAMC) charges for additional 4 years on all parts and spares including labour after items 1.00 Nos Full Conversion INR	1.02	A compatible online 10 KVA UPS with isolation transformer.	item2	1.00	Nos	Full Conversion	INR							0.0000	0.0000	INR Zero Only
connectors fittings and filters. 1.00 Nos Full Conversion INR 1.00 Nos Full Conversion INR 1.05 Liquid N2 dewars (50L) along with necessary accessories for refilling of cryogens in the magnet should be provided. Comprehensive Annual Maintenance Contract (CAMC) charges for additional 4 years on all parts and spares including labour after items 1.00 Nos Full Conversion INR			item3	1.00	Nos	Full Conversion	INR							0.0000	0.0000	INR Zero Only
1.05 refilling of cryogens in the magnet should be provided. Comprehensive Annual Maintenance Contract (CAMC) charges for 1.06 additional 4 years on all parts and sparses including labour after tember 1.00 Nos Full Conversion INR 1.07 In Conversion INR 1.08 Pull Conversion INR 1.09 Nos Full Conversion INR 1.00 Nos Full Conversion INR 1.00 Nos Full Conversion INR 1.00 Nos Full Conversion INR	1.04		item4	1.00	Nos	Full Conversion	INR							0.0000	0.0000	INR Zero Only
1.06 additional 4 years on all parts and spares including labour after item6 1.00 Nos Full Conversion INR	1.05	refilling of cryogens in the magnet should be provided.	item5	4.00	Nos	Full Conversion	INR							0.0000	0.0000	INR Zero Only
		additional 4 years on all parts and spares including labour after completion of 1 year factory warranty.	item6	1.00	Nos	Full Conversion	INR							0.0000	0.0000	,
Total in Figures 0.0000 0.0000 2ero Only	Total in Figures	3												0.0000	0.0000	Zero Only
Quoted Rate in Words	Quoted Rate in	Words				1	-			1	-			-	1	



Corrigendum has been Published Successfully in this portal Tender ID 2025_ISMD_846949_1.



Server Time
11-Feb-2025 16:27:09 | A Home Logour

Click here to check Published Corrigendum List

eProcurement System Government of India

CORRIGENDUM PUBLISH CONFIRMATION

Org Hierarchy Master
View Internal Documents

System

User Management

Master Management

- Debar User
- My Organisation Hierarchy
- My Accounts

Tender Management

- Publish Tender
- Published Tenders
- Tender Status
- Sanction / Bill Generation

Corrigendum

- Publish Corrigendum
- Published Corrigendum

Bid Evaluation

AOC/Empanelment

Auction Management

- Publish Auction
- Published Auction
- ▶ Publish Auction Corrigendum
- Published Auction Corrigeridum

Survey Management

FeedBack

Version: 1.09.21 11-Nov-2024

(c) 2017 Tenders NIC, All rights reserved.

Corrigendum

Reference No.: CR-INS-CPPP-127-24-25

Tender ID: 2025_ISMD_846949_1

Tender Name: Supply and Installation of NMR Spectrometer with Electronics and Console.

Subject: Technical Bid Corrigendum.

Particulars	As published in Tender Document	Amended as
Clause 3b of Specifications for Supply and Installation of NMR Spectrometer with Electronics and Console (Annexure-III).	Comprehensive Multiphase (CMP-NMR) Probe: - A broad branded 4 mm double resonance probe for double usage HR-MAS and CP-MAS. The probe should be optimized for 1H observation with X-nuclei decoupling, the probe supports HR-MAS and solid-state NMR experiments. Probe equipped with Automatic Tuning and Matching Accessor (ATMA) including automated magic angle (MA) adjustment. The probe should be able to carry out both CPMAS as well as HR-NMR experiments on the following nuclei ¹ H, ¹⁹ F and ³¹ P, ²⁷ Al, ⁷⁹ Br, ²⁰⁷ Pb, ⁶ Li, ⁷ Li, ¹¹ B, ²³ Na, ¹³ C, ²⁹ Si and ¹⁵ N nuclei. Top loading facility for solid state Probe must be available in automation mode using autosampler/Manual mode. There should be a single advanced probe for both solid state and semi solid NMR experiments. The probe should be built with high power circuitry, Magic Angle Spinning (MAS), should be fitted with a lock channel, pulse field gradients, and is fully susceptibility matched probe. This probe has to cover all HR-MAS aspects without compromising power handling to permit the full range of solution-, gel- and solid-state experiments available today. Following features must be present in the probe: - Optimized for 1H observation - BB decoupling or observation - BB range: 15N, 13C and 31P etc with 2H lock channel - Gradient strength of 50G/cm with 10A gradient amplifier- Strong 1H decoupling and H/X cross polarization - Fast Automatic Tuning & Matching - Automatic magic angle adjustment - Max. rotation frequency: 15 kHz - Sample volume: 12, 25, 50 or 80 ul using dedicated rotors & inserts	Comprehensive Multiphase (CMP-NMR) Probe: - A broad branded 4 mm double resonance probe for double usage HR-MAS and CP-MAS. The probe should be optimized for 1H observation with X-nuclei decoupling, the probe supports HR-MAS and solid-state NMR experiments. Probe equipped with Automatic Tuning and Matching Accessor (ATMA) including automated magic angle (MA) adjustment. The probe should be able to carry out both CPMAS as well as HR-NMR experiments on the following nuclei ¹¹ H, ³¹ P, ²⁷ Al, ⁷⁹ Br, ²⁰⁷ Pb, ⁶ Li, ⁷ Li, ¹¹ B, ²³ Na, ¹³ C, ²⁹ Si and ¹⁵ N nuclei. Top loading facility for solid state Probe must be available in automation mode using autosampler/Manual mode. There should be a single advanced probe for both solid state and semisolid NMR experiments. The probe should be built with high power circuitry, Magic Angle Spinning (MAS), should be fitted with a lock channel, pulse field gradients, and is fully susceptibility matched probe. This probe has to cover all HR-MAS aspects without compromising power handling to permit the full range of solution-, gel- and solid-state experiments available today. Following features must be present in the probe: - Optimized for 1H observation - BB decoupling or observation - BB range: 15N, 13C and 31P etc with 2H lock channel-Gradient strength of 50G/cm with 10A gradient amplifier- Strong 1H decoupling and H/X cross polarization - Fast Automatic Tuning & Matching - Automatic magic angle adjustment - Max. rotation frequency: 15 kHz - Sample volume: 12, 25, 50 or 80 ul using dedicated rotors & inserts

All other details and Terms & Conditions of the tender document will remain same.